## Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

- 1. (Currently Amended) A composition comprising an effective amount of an active ingredient combination composed of
- (a) at least one substituted thien-3-ylsulfonylamino(thio)carbonyl-triazolin(thi)one of the formula (I)

$$\begin{array}{c|c}
R^1 & O & N & N \\
O & N & N \\
S & CH_3
\end{array}$$
(I)

in which

 $R^1$  is optionally cyano-, halogen- or  $C_1$ - $C_4$ -alkoxy-substituted alkyl having 1 to 6 carbon atoms,

R<sup>2</sup> is hydrogen, hydroxyl, mercapto, amino, cyano, fluorine, chlorine, bromine or iodine, is optionally fluorine-, chlorine-, bromine-, cyano-, C<sub>1</sub>-C<sub>4</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-alkyl-carbonyl- or C<sub>1</sub>-C<sub>4</sub>-alkoxy-carbonyl-substituted alkyl having 1 to 6 carbon atoms, is in each case optionally fluorine-, chlorine- and/or bromine-substituted alkenyl or alkynyl having in each case 2 to 6 carbon atoms, is in each case optionally fluorine-, chlorine-, cyano-, C<sub>1</sub>-C<sub>4</sub>-alkoxy- or C<sub>1</sub>-C<sub>4</sub>-alkoxy-carbonyl-substituted alkoxy, alkylthio, alkylamino or alkylcarbonylamino having in each case 1 to 6 carbon atoms in the alkyl

alkenyloxy, alkynyloxy, alkenylthio, group, alkynylthio, alkenylamino or alkynylamino having in each case 3 to 6 carbon atoms in the alkenyl or alkynyl group, is dialkylamino having in each case 1 to 4 carbon atoms in the alkyl groups, is in each case optionally methyl- and/or ethyl-substituted aziridino, pyrrolidino, piperidino or morpholino, is in each case optionally fluorine-, chlorine-, bromine-, cyano- and/or C<sub>1</sub>-C<sub>4</sub>-alkyl-substituted cycloalkyl, cycloalkenyl, cycloalkyloxy, cycloalkylthio, cycloalkylamino, cycloalkylalkyl, cycloalkylalkoxy, cycloalkylalkylthio cycloalkylalkylamino having in each case 3 to 6 carbon atoms in the cycloalkyl or cycloalkenyl group and optionally 1 to 4 carbon atoms in the alkyl moiety, or is in each optionally fluorine-. chlorine-, bromine-, case cyano-, nitro-.  $C_1$ - $C_4$ -alkyl-, trifluoromethyl-, C<sub>1</sub>-C<sub>4</sub>-alkoxy- and/or C<sub>1</sub>-C<sub>4</sub>-alkoxy-carbonyl-substituted aryl, arylalkyl, aryloxy, arylalkoxy, arylthio, arylalkylthio, arylamino or arylalkylamino having in each case 6 or 10 carbon atoms in the aryl group and optionally 1 to 4 carbon atoms in the alkyl moiety,

R<sup>3</sup> is hydrogen, hydroxyl, amino, cyano, is C<sub>2</sub>-C<sub>10</sub>-alkylideneamino, is optionally fluorine-, chlorine-, bromine-, cyano-, C<sub>1</sub>-C<sub>4</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-alkyl-carbonyl- or C<sub>1</sub>-C<sub>4</sub>-alkoxy-carbonyl-substituted alkyl having 1 to 6 carbon atoms, is in each case optionally fluorine-, chlorine- and/or bromine-substituted alkenyl or alkynyl having in each case 2 to 6 carbon atoms, is in each case optionally fluorine-, chlorine-, bromine-, cyano-, C<sub>1</sub>-C<sub>4</sub>-alkoxy- or C<sub>1</sub>-C<sub>4</sub>-alkoxy-carbonyl-substituted alkoxy, alkylamino or alkyl-carbonylamino having in each case 1 to 6 carbon atoms in the alkyl group, is alkenyloxy having 3 to 6 carbon atoms, is dialkylamino having in each case 1 to 4 carbon atoms in the alkyl groups, is in each case optionally fluorine-, chlorine-, bromine-, cyano- and/or C<sub>1</sub>-C<sub>4</sub>-alkyl-substituted cycloalkyl, cycloalkylamino or cycloalkylalkyl having in each

case 3 to 6 carbon atoms in the alkyl group and optionally 1 to 4 carbon atoms in the alkyl moiety, or is in each case optionally fluorine-, chlorine-, bromine-, cyano-, nitro-,  $C_1$ - $C_4$ -alkyl-, trifluoromethyl- and/or  $C_1$ - $C_4$ -alkoxy-substitued aryl or arylalkyl having in each case 6 or 10 carbon atoms in the aryl group and optionally 1 to 4 carbon atoms in the alkyl moiety

- or salts of the compounds of the formula (I) -

("active ingredients of group 1")

and

(b) one or more compounds from a second group of herbicides which includes the following active ingredients:

$$H_3C$$
 $O$ 
 $SO_2CH_3$ 
 $CF_3$ 
 $C_2H_5$ 

$$\begin{array}{c|c} & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & &$$

, and

("active ingredients of group 2"),

and, if desired, additionally

(c) a crop plant tolerance promoter compound from the following group of compounds:

4-dichloroacetyl-1-oxa-4-azaspiro[4.5]decane (AD-67),4dichloroacetyl-3,4-dihydro-3-methyl-2H-1,4-benzoxazine (benoxacor), 5chloroquinoxalin-8-oxyacetic acid 1-methylhexyl ester (cloquintocet-mexyl), 2.4dichlorophenoxyacetic acid 2,2-dichloro-N,N-di-2-propenylacetamide (2,4-D),(dichlormid), N-(4-methylphenyl)-N'-(1-methyl-1-phenylethyl)urea (daimuron), 4,6dichloro-2-phenylpyrimidine (fenclorim), 1-(2,4-dichlorophenyl)-5-trichloromethyl-1H-1,2,4-triazole-3-carboxylic acid ethyl ester (fenchlorazole-ethyl), 2-chloro-4trifluoromethylthiazole-5-carboxylic acid phenylmethyl ester (flurazole), 4-chloro-N-(1,3-dioxolan-2-ylmethoxy)-α-trifluoroacetophenone oxime (fluxofenim), 3dichloroacetyl-5-(2-furanyl)-2,2-dimethyloxazolidine (furilazole), ethyl 4,5-dihydro-5,5diphenyl-3-isoxazolecarboxylate (isoxadifen-ethyl), (4-chloro-2-methylphenoxy)acetic acid (MCPA), (+-)-2-(4-chloro-2-methylphenoxy)propanoic acid (mecoprop), diethyl 1-(2,4-dichlorophenyl)-4,5-dihydro-5-methyl-1H-pyrazole-3,5-dicarboxylate diethyl), 2-dichloromethyl-2-methyl-1,3-dioxolane (MG-191, CAS Reg. No. 96420-72anhydride,  $\alpha$ -(1,3-dioxolan-2-ylmethoximino)phenylacetonitrile 3), 1,8-naphthalic (oxabetrinil), 2,2-dichloro-N-(1,3-dioxolan-2-ylmethyl)-N-(2-propenyl)acetamide (PPG-1292), 3-dichloroacetyl-2,2,5-trimethyloxazolidine (R-29148), N-cyclopropyl-4-[[(2methoxy-5-methylbenzoyl)amino|sulfonyl|benzamide, N-[[(4-methylaminocarbonylamino)phenyl]sulfonyl-2-methoxybenzamide, and compounds of the formula (II) below,

in which

 $R^{21}$  and  $R^{22}$  are as defined in the following table:

R <sup>21</sup>	R <sup>22</sup>
cyclopropyl	2-OCH <sub>3</sub>
cyclopropyl	2-OCH <sub>3</sub> , 5-Cl
ethyl	2-OCH <sub>3</sub>
isopropyl	2-OCH <sub>3</sub> , 5-Cl
isopropyl	2-OCH <sub>3</sub>

("active ingredients of group 3").

2. (Currently Amended) The composition as claimed in claim 1, wherein the crop plant tolerance promoter compound (active ingredient of group 3) is selected from the active ingredients benoxacor, mefenpyr-diethyl, fenchlorazole-ethyl, isoxadifenethyl, cloquintocet-mexyl, and the compound N-cyclopropyl-4-[[(2-methoxybenzoyl)amino]sulfonyl]benzamide.

## 3. (Cancelled)

4. (Currently Amended) A method of controlling unwanted plants which comprises comprising causing a composition as claimed inof claim 1 to act on the weeds and/or their habitat.

5. (Currently Amended) A process for producing a herbicidal composition comprising, which comprises mixing a composition as claimed inof claim 1 with surfaceactive agents and/or extenders.